



# ecology and environment, inc.

111 WEST JACKSON BLVD., CHICAGO, ILLINOIS 60604, TEL. 312-663-9415

International Specialists in the Environment

16302 00005 ~~ST~~ Clear

Sargent

8F/Fiscal.

September 11, 1987

Mr. Jeff Larson  
Illinois EPA  
Division of Land Pollution Control  
2200 Churchill Road  
Springfield, Illinois 62706

Dear Jeff:

In a memorandum dated May 8, 1987, E & E notified the IEPA that bottles for three ground water samples from the Dead Creek Project were broken. Two of the broken samples were from Site 0, including one from the background well for the site. It was determined that, in addition to the wells for which sample bottles were broken, the remaining wells at Site 0 would be resampled.

Resampling of monitoring wells at Dead Creek was conducted on July 14, 1987. A total of seven ground water samples were collected. The seven samples include three at monitoring wells where sample bottles were broken, and resampling and analysis of three additional wells at Site 0 plus a blank sample.

The IEPA previously requested a breakdown of costs for this resampling effort. The cost will remain as outlined in the May 8 letter: \$1040 per sample, or a total of \$4160 for analysis of four additional ground water samples. As a crew was already in the field conducting infiltration testing and air sampling during the week that ground water samples were collected, no other associated costs are applicable for the resampling effort. A listing of wells sampled and associated costs is included below:

<u>Sample No.</u>	<u>Well No.</u>	<u>Cost</u>
DC-GW-39A	Well EE-22	\$ 1040
DC-GW-41A	Well EE-24	1040
DC-GW-43A	Well EE-25	1040
DC-GW-57	Blank Water	1040

Total Analytical = 4160

RECEIVED

SEP 16 1987

IEPA/DLPC

September 14, 1987  
Mr. Jeff Larson  
Page Two

I hope this breakdown meets your needs for developing a modification to the contract. If you need further information, please do not hesitate to call Mike Miller or myself.

Sincerely,

A handwritten signature in cursive script, appearing to read "Dan Sewall".

Dan Sewall

21J:1M